



a2430 2MASS0036 03dec09 (AST) StokesI freq:4275.




tmResSecs: 0.900

scanFitDeg:2


a2430 2MASS0036 03dec09 (AST) StokesI freq:4405.




a2430 2MASS0036 03dec09 (AST) StokesI freq:4545.



a2430 2MASS0036 03dec09 (AST) StokesI freq:4695.




a2430 2MASS0036 03dec09 (AST) StokesI freq:4835.




tmResSecs: 0.900

scanFitDeg:2


a2430 2MASS0036 03dec09 (AST) StokesI freq:4975.



a2430 2MASS0036 03dec09 (AST) StokesI freq:5125.




a2430 2MASS0036 03dec09 (AST) StokesQ freq:4275.




tmResSecs: 0.900

scanFitDeg:2


a2430 2MASS0036 03dec09 (AST) StokesQ freq:4405.




a2430 2MASS0036 03dec09 (AST) StokesQ freq:4545.



a2430 2MASS0036 03dec09 (AST) StokesQ freq:4695.




a2430 2MASS0036 03dec09 (AST) StokesQ freq:4835.




tmResSecs: 0.900

scanFitDeg:2


a2430 2MASS0036 03dec09 (AST) StokesQ freq:4975.



a2430 2MASS0036 03dec09 (AST) StokesQ freq:5125.




a2430 2MASS0036 03dec09 (AST) StokesU freq:4275.




tmResSecs: 0.900

scanFitDeg:2


a2430 2MASS0036 03dec09 (AST) StokesU freq:4405.




a2430 2MASS0036 03dec09 (AST) StokesU freq:4545.



a2430 2MASS0036 03dec09 (AST) StokesU freq:4695.




a2430 2MASS0036 03dec09 (AST) StokesU freq:4835.




tmResSecs: 0.900

scanFitDeg:2


a2430 2MASS0036 03dec09 (AST) StokesU freq:4975.



a2430 2MASS0036 03dec09 (AST) StokesU freq:5125.




a2430 2MASS0036 03dec09 (AST) StokesV freq:4275.




tmResSecs: 0.900

scanFitDeg:2


a2430 2MASS0036 03dec09 (AST) StokesV freq:4405.




a2430 2MASS0036 03dec09 (AST) StokesV freq:4545.



a2430 2MASS0036 03dec09 (AST) StokesV freq:4695.




a2430 2MASS0036 03dec09 (AST) StokesV freq:4835.



tmResSecs: 0.900

scanFitDeg:2

a2430 2MASS0036 03dec09 (AST) StokesV freq:4975.



a2430 2MASS0036 03dec09 (AST) StokesV freq:5125.

